MUNK
Sicherheit. Made in Germany.



Order no.: 052705

Folding platform ladder with narrow undercarriage

Number of steps

5 | 6 | 7 | 8 | 10 | 12 | 14

Specification

Working height 3.15 m	Step design Steps	Number of steps/rungs 5 steps	Platform included as step Yes	Platform height 1.15 m
Platform length 650 mm	Platform width 600 mm	Non-slip class R10	Step depth 80 mm	Step/Rung distance 235 mm
Height 2.19 m	Total length folded 2.75 m	Base spread 1.4 m	Inclination 70 °	Outer width 650 mm
Stabiliser width 850 mm	Depth of side-rails 73 mm	Depth of side-rails, support 58 mm	Max. load capacity 150 kg	Design type Single-sided access | Freestanding | With chassis beam
Ballast weight 30 kg	Weight incl. ballast weight 67 kg	Transport dimensions (plus packaging) 2780 x 760 x 220 mm, 29 kg	Transport dimensions (plus packaging) 2 860 x 220 x 262 mm, 37.5 kg	Business division MUNK Günzburger Steigtechnik
Order no. 052705				

Facts

- Platform ladder made of aluminium

We reserve the right to make technical changes and price changes.

- Stable rectangular tube side-rails
- 80 mm deep, ribbed steps R10
- Spacious platform with grooves for secure footing (650 x 600 mm)
- 4-fold edged step-to-side-rail connection
- Handrail on both sides for safe ascending and descending
- All-round railing on three sides (height 1000 mm) including knee rail and toe board as well as safety rope for maximum fall protection
- Support part with narrow undercarriage and ballast weight for high stability
- Folds for compact storage thanks to sturdy steel hinges (when ballast weight is on the outside)
- Particularly suitable for narrow shelving aisles etc.
- Integrated Ø 125 mm fixed castors with locking device for quick transportation when folded out
- nivello® ladder shoes with patented 2-axis inclination technology
- Generous sized tool tray
- Outer width: 650 mm (without stabiliser)
- Step spacing: 235 mm
- Ladder inclination: 70°
- Maximum load: 150 kg

Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

More product pictures









Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Conical side-rail guide for safe stance
- Railings and knee boards for safe access and stance



The movable ladder shoe sets new standards in stability

Learn more



Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Castors

- Ergonomic and comfortable handling
- Simple movement from place to place



Certificates



5011053.24002 - Certificate Product Safety Type approved

Valid in

DIN EN 131-7:2013
DIN EN 131-3:2018

MUNK
Sicherheit. Made in Germany.

Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022