



Order no.: 052706

Folding platform ladder with narrow undercarriage



Number of steps

- 5
- 6
- 7
- 8
- 10
- 12
- 14

Specification

Working height 3.4 m	Step design Stufen	Number of steps/rungs 6 steps	Platform included as step Ja	Platform height 1.38 m
Platform length 650 mm	Platform width 600 mm	Non-slip class R10	Step depth 80 mm	Step/Rung distance 235 mm
Height 2.42 m	Total length folded 3 m	Base spread 1.5 m	Inclination 70 °	Outer width 650 mm
Stabiliser width 850 mm	Depth of side-rails 73 mm	Depth of side-rails, support 58 mm	Max. load capacity 150 kg	Design type Einseitig begehbar Freistehend Mit Fahrbalken
Ballast weight 50 kg	Weight incl. ballast weight 89 kg	Transport dimensions (plus packaging) 3040 x 760 x 220 mm, 30 kg	Transport dimensions (plus packaging) 2 860 x 260 x 235 mm, 56 kg	Business division MUNK Günzburger Steigtechnik
Order no. 052706				

Facts


- Platform ladder made of aluminium

- Stable rectangular tube side-rails
- 80 mm deep, ribbed steps R10
- Spacious platform with grooves for secure footing (650 x 600 mm)
- 4-fold edged step-to-side-rail connection
- Handrail on both sides for safe ascending and descending
- All-round railing on three sides (height 1000 mm) including knee rail and toe board as well as safety rope for maximum fall protection
- Support part with narrow undercarriage and ballast weight for high stability
- Folds for compact storage thanks to sturdy steel hinges (when ballast weight is on the outside)
- Particularly suitable for narrow shelving aisles etc.
- Integrated Ø 125 mm fixed castors with locking device for quick transportation when folded out
- nivello® ladder shoes with patented 2-axis inclination technology
- Generous sized tool tray
- Outer width: 650 mm (without stabiliser)
- Step spacing: 235 mm
- Ladder inclination: 70°
- Maximum load: 150 kg

Scope of supply

- Ladder: 1 x
- Instructions for use and operation: 1 x

More product pictures



Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Conical side-rail guide for safe stance
- Railings and knee boards for safe access and stance



The movable ladder shoe sets new standards in stability

[Learn more](#)



Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Castors

- Ergonomic and comfortable handling
- Simple movement from place to place



Certificates



5011053.24002 -
Certificate Product
Safety Type
approved

Valid in

DIN EN 131-7:2013
DIN EN 131-3:2018

Corporate certifications

Standards for quality and sustainability

