MUNK
Sicherheit. Made in Germany.



Order no.: 012009

# Rung window cleaner’s ladder upper section

Number of rungs

4 | 8

## Specification

| | | | | |
|---|---|---|---|---|
| Ladder length<br>2.19 m | Number of steps/rungs<br>4 rungs | Step/Rung height<br>30 mm | Step depth<br>30 mm | Step/Rung distance<br>280 mm |
| Upper outer width<br>128 mm | Lower outer width<br>437 mm | Inclination<br>70 ° | Depth of side-rails<br>73 mm | Width of side-rails<br>25 mm |
| Max. load capacity<br>150 kg | Design type<br>To lean against | Transport dimensions (plus packaging)<br>2196 x 437 x 135 mm, 5 kg | Business division<br>MUNK Günzburger Steigtechnik | Order no.<br>012009 |

## Facts

- Rung window cleaner's ladder made of aluminium
- Stable rectangular tube side-rails
- Rectangular rungs grooved on both sides, 30 x 30 mm, Slip resistance class R10
- 4-fold edged step-to-side-rail connection
- Secure push-fit connection with additional hook lock

- Upper ladder with castors and abrasion-resistant contact rubber pad with wedge cut-out
- Lower ladder with nivello® stabiliser for extra stability and safe ascent (enclosed separately)
- Depending on the selection, a maximum of four individual parts can be combined, as the standing height of 5.0 m must not be exceeded
- Rung distance: 280 mm
- Maximum load: 150 kg

## Scope of supply

- Ladder upper section: 1 x
- Instructions for use and operation: 1 x

## More product pictures





## Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



MUNK
Sicherheit. Made in Germany.

## Corporate certifications

### Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022