

Order no.: 053103

Folding steps with retaining bracket



Number of steps

3

4

5



Specification

Working height 2.7 m	Height of the top step 640 mm	Top surface depth 205 mm	Top surface width 360 mm	Step/Platform surface Aluminium geriffelt
Non-slip class R9	Number of steps/rungs 3 steps	Platform included as step Ja	Step width 360 mm	Step depth 205 mm
Height 1.26 m	Base spread 820 mm	Outer width 550 mm	Max. load capacity 150 kg	Material Aluminium
Transport dimensions (plus packaging) 1100 x 570 x 140 mm, 10 kg	Business division MUNK Günzburger Steigtechnik	Order no. 053103		

Facts

- Aluminium folding steps
- Stable and smooth-running folding mechanism
- Design with strong double slide-rails
- 205 mm deep steps with grooves for a secure footing

- Top tread area: 360 x 205 mm
- Easy to transport, compact storage
- Non-slip plastic shoes
- Foldable retaining bracket with practical storage tray
- Easy to store: only 125 mm deep when folded
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Step stool: 1 x
- Retaining bracket: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic

- No health hazards for the users

More product pictures



Added value

Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



From small to large

- The right product for every application
- One-sided and two-sided variants



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Certificates



24KFP1115-01 -
Test Certificate
"Bauart geprüft"

Valid in

DIN EN 14183:2004
EK5/AK1 19-
01:2019
PAK-
ANFORDERUNG
FÜR GS (PAH
REQUIREMENT
FOR GS) AFPS GS
2019:01 PAK

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

