



Order no.: 019910

Hook-in step R13 for rung ladders

Specification

| Product type | Length | Width | Step width | Step depth |
|--|-----------------------|---|--|---------------------|
| Accessories | 299 mm | 284 mm | 265 mm | 299 mm |
| Suitable for ladder type Rung ladders | Material Aluminium | Transport dimensions 365 x 290 x 59 mm, 1.04 kg | Business division MUNK Günzburger Steigtechnik | Order no. 019910 |

Facts

- Suitable for rung ladders (recommended clear width 320 mm)
- Made of aluminium
- For comfortable and fatigue-free standing for working in accordance with TRBS 2121 Part 2
- Work safety to the highest non-slip class R 13 thanks to the aluminium oxide particles in the platform surface
- Maximum load: 150 kg
- Not suitable for wooden rung ladders



Scope of supply

Step stool: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures









Corporate certifications

on sustainability criteria







