



Order no.: 027904

Push-fit frame 75/196



Number of rungs

2

3

4

7

Specification

Length 2.08 m	Height 1.96 m	Scaffolding width 750 mm	Suitable for Mobile scaffolding Folding scaffolding	Transport dimensions 2080 x 735 x 60 mm, 7 kg
Business division MUNK Günzburger Steigtechnik	Order no. 027904	Spare part for article no. 125150	Spare part for article no. 125145	Spare part for article no. 125146
Spare part for article no. 125147	Spare part for article no. 125148	Spare part for article no. 125149		

Facts

- Easy to install thanks to sophisticated push-fit system
- Lightweight for easy handling and transport
- For scaffolding width 0.75 m



Scope of supply

Push-fit frame: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

Standards for quality and sustainability









