MUNK
Sicherheit. Made in Germany.



Order no.: 039012

Steel and wood step stool with lifting castors

Number of steps

2x2 | 2x3 | 2x4

Specification

Working height 2.4 m	Platform height 490 mm	Step/Platform surface Wood	Number of steps/rungs 2x 2 steps	Platform included as step Yes
Base area length 620 mm	Base area width 460 mm	Max. load capacity 150 kg	Material Steel coated | Wood	Transport dimensions (plus packaging) 502 x 635 x 73 mm, 6 kg
Transport dimensions (plus packaging) 2 340 x 220 x 76 mm, 3 kg	Business division MUNK Günzburger Steigtechnik	Order no. 039012		

Facts

- Step stool made of steel with wooden steps
- Sturdy rectangular tube design, coated grey (RAL 7023)
- 150 mm deep steps made of coated wood ensuring a safe footing
- Top tread area: 400 x 250 mm
- Easy to transport thanks to integrated grip hole in cover board
- Non-slip plastic shoes

- Easy assembly (shipping disassembled)
- Four lifting castors requiring customer assembly for lengthways movement
- Automatic lowering under load
- Maximum load: 150 kg

Scope of supply

- Step stool: 1 x
- Lifting castor: 4 x
- Instructions for use and operation: 1 x

More product pictures



Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



From small to large

- The right product for every application
- One-sided and two-sided variants



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Certificates



24KFP1114-01 - Test Certificate "Bauart geprüft"

Valid in

DIN EN 14183:2004 EK5/AK1 19-01:2019
PAK-ANFORDERUNG FÜR GS (PAH REQUIREMENT FOR GS) AFPS GS 2019:01 PAK

Corporate certifications

Standards for quality and sustainability

