MUNK
Sicherheit. Made in Germany.



Order no.: 044506

Step shelf ladder, rotating for double shelf

Number of steps

6 | 7 | 8 | 9 | 10 | 11 | 12

Specification

Working height 3.44 m	Step design Steps	Number of steps/rungs 6 steps	Step width 350 mm	Step depth 80 mm
Step/Rung distance 235 mm	Vertical hook-in height 2.59 m	Ladder length 1.78 m	Base area 990 mm	Inclination 70 °
Outer width 400 mm	Castor diameter 80 mm	Max. load capacity 150 kg	Design type Mobile | Rotatable | With castors	Transport dimensions (plus packaging) 1873 x 580 x 86 mm, 5.5 kg
Transport dimensions (plus packaging) 2 1390 x 45 x 45 mm, 2.98 kg	Transport dimensions (plus packaging) 3 400 x 198 x 155 mm, 2.56 kg	Transport dimensions (plus packaging) 4 400 x 198 x 155 mm, 2.56 kg	Transport dimensions (plus packaging) 5 1047 x 405 x 105 mm, 3.5 kg	Business division MUNK Günzburger Steigtechnik
Order no. 044506				

Facts

- Step shelf ladder made of aluminium
- Stable rectangular tube side-rails
- 80 mm deep, ribbed steps R10

We reserve the right to make technical changes and price changes.

- 4-fold edged step-to-side-rail connection
- For double shelves with aisle widths up to 1.60 m (variations up to 20 mm are compensated for by the chassis)
- Ladder easy to move thanks to smooth-running roll-top
- Self-locking spring-loaded castors, Ø 80 mm, at the lower end
- Non-slip ladder shoes
- Step spacing: 235 mm
- Ladder width: 400 mm (without castors)
- Ladder width with castors: 580 mm
- Ladder inclination: 70°
- Maximum load: 150 kg
- Please note: Shelf ladders are available in the standard lengths listed, as well as made to measure. To order a made-to-measure ladder, please specify the exact vertical mounting height – the price will be calculated based on the next size up, plus a flat-rate modification fee. Made-to-measure shelf ladders cannot be exchanged.

Scope of supply

- Instructions for use and operation: 1 x
- Ladder: 1 x

More product pictures





Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Versatile solutions

- Ladders available in standard lengths or individual dimensions
- Available with and without roll-top as well as a rotatable version
- Optional spring-loaded castors
- For single and double-sided shelves



Rail system

- Made-to-measure production of the rail system
- Easy assembly of all components



Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022