

Order no.: 050031

Work platform rigid



Number of steps

1

2

3

4

5

Specification

Working height 2.2 m	Platform height 200 mm	Top surface depth 295 mm	Top surface width 550 mm	Step/Platform surface Aluminium- Warzenblech
Non-slip class R10	Base area length 370 mm	Base area width 590 mm	Design type Einseitig begehbar Starr	Number of steps/rungs 1 steps
Platform included as step Ja	Max. load capacity 150 kg	Material Aluminium	Transport dimensions (plus packaging) 580 x 335 x 205 mm, 3 kg	Business division MUNK Günzburger Steigtechnik
Order no. 050031				

Facts

- Aluminium work platform
- Sturdy, welded bar design
- 220 mm deep steps made of aluminium chequered plate for a secure footing
- Top tread surface: 550 x 300 mm
- Non-slip plastic shoes

- Step spacing 200 mm
- Maximum load: 150 kg

Scope of supply

- Platform: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



From small to large

- The right product for every application
- One-sided and two-sided variants



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

www.bgbau.de/service/angebote/arbeitschutzpraemien

A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).

Certificates



5011053.24005-1 -
Certificate Product
Safety Type
approved

Valid in

EN 14183:2003
EN 131-3:2018

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

