


Order no.: 077546

Rail fastening for ladder rail 60x25mm galvanised steel



Suitable for side-rail size

50x20 mm

60x25 mm

Specification

Suitable for 60x25 mm	Material Galvanised steel	Transport dimensions (plus packaging) 172 x 91 x 60 mm, 0.74 kg	Business division MUNK Günzburger Steigtechnik	Order no. 077546
--------------------------	------------------------------	--	--	---------------------

Facts

- For lateral attachment, if installation in the middle of the stationary ladder is not possible for space reasons, e.g. for shaft ladders with a clear width of 300 mm
- Easy installation on the ladder rail
- Suitable for ladder rails with dimensions 60x25 mm


Scope of supply

- Rail fastener: 1 x
- Installation material: 1 x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

