



Order no.: 019476

Automatic steel hinge for folding ladder

Specification

| | | | | |
|------------------------------|----------------------------|---|--|------------------------------|
| Suitable for Klappleiter | Product type Ersatzteil | Length 248 mm | Width 110 mm | Depth of side-rails 58 mm |
| Width of side-rails 25 mm | Material Stahl verzinkt | Transport dimensions (plus packaging) 249 x 110 x 29 mm, 0.97 kg | Business division MUNK Günzburger Steigtechnik | Order no. 019476 |
| Spare part for article no. | | | | |

Facts

- Increases safety through reliable hinge function
- Robust automatic steel hinge for folding ladder
- Incl. mounting material

Scope of supply

- Hinge: 1 x
- Installation material: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

