


Order no.: 019477

## Automatic steel hinge for scaffolding folding frame



### Specification

Length 248 mm	Width 25 mm	Height 110 mm	Suitable for Klappgerüste	Transport dimensions (plus packaging) 249 x 110 x 27 mm, 0.99 kg
Business division MUNK Günzburger Steigtechnik	Order no. 019477	Spare part for article no. 011320		

### Facts

- Robust automatic steel hinge for scaffolding folding frame
- Increases safety through reliable hinge function
- Incl. mounting material

#### Scope of supply


- Hinge: 1 x
- Installation material: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

### Standards for quality and sustainability

