MUNK
Sicherheit. Made in Germany.



Order no.: 054202

ML Compact step stool

Number of steps

2 | 3

Specification

Height of the top step 460 mm	Top surface depth 230 mm	Top surface width 360 mm	Step/Platform surface Aluminium tibial plate	Non-slip class R10
Number of steps/rungs 2 steps	Base area length 560 mm	Base area width 490 mm	Max. load capacity 150 kg	Material Aluminium
Transport dimensions (plus packaging) 560 x 495 x 85 mm, 4.72 kg	Business division MUNK Günzburger Steigtechnik	Order no. 054202		

Facts

- Aluminium folding step stool
- Stable and smooth-running folding mechanism
- 230 mm deep steps made of aluminium chequered plate for a secure footing
- Top tread area: 360 x 230 mm
- Easy to transport, compact storage
- Non-slip plastic shoes
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Step stool: 1 x

More product pictures











Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



From small to large

- The right product for every application
- One-sided and two-sided variants



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Corporate certifications

Standards for quality and sustainability

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022