


Order no.: 019126

Shaft ladder, V2A stainless steel

Length [mm]

470

Specification

Length 470 mm	Transport dimensions (plus packaging) 470 x 29 x 28.5 mm, 0.6 kg	Material Edelstahl	Business division MUNK Günzburger Steigtechnik	Order no. 019126
------------------	---	-----------------------	--	---------------------

Facts

- Step width 30 mm, Ø 6 mm hole
- Only available in stated lengths
- Design in bright steel or stainless steel 1.4571

Scope of supply

- Perforated rung: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090

- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

