



Order no.: 030413

## ML working trestle, folding

### Specification

Height 810 mm	Base area width 900 mm	Base area length 590 mm	Max. load capacity 150 kg	Height adjustment Starr
Cover type Holz-Siebdruck	Transport dimensions (plus packaging) 865 x 900 x 108 mm, 3.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 030413	

### Facts

- Aluminium folding working trestle
- Stable rectangular tube side-rails
- Cover made of anti-slip film-faced plywood board.
- Just 110 mm wide when folded together
- Cross bracing thanks to welded rectangular rungs
- High stability thanks to spreader lock with two high-strength polyester straps underneath the rung
- Side-rail ends with inside shoes and cover caps
- Maximum load: 150 kg

## Scope of supply

- Working trestle: 1 x
- Instructions for use and operation: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Corporate certifications

---

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

