

Order no.: 070738

## Safety rope




Suitable for

Step width 600 mm

Step width 800 mm

Step width 1,000 mm



## Specification

Suitable for Stufenbreite 600 mm	Business division MUNK Günzburger Steigtechnik	Order no. 070738
-------------------------------------	--	---------------------

## Facts

- Increased safety thanks to reliable fastening mechanisms
- Flexible cord for easy handling
- Safety rope with snap hook and eye bolt for step widths 600 / 800 / 1,000 mm

### Scope of supply

- Safety rope: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001

- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Product configurator

Configuring, enquiring about and ordering individual products could not be easier with our [product configurator](#) for stairs, bridging steps and mobile platform stairs. Simply enter your required dimensions and versions step by step, and a rotating 3D model will appear in real time. To save your configuration and request a quotation requires a login which will be set up for you by our Sales team.



## Corporate certifications

---

### Standards for quality and sustainability

