



Order no.: 056106

Platform stairs, with single-sided access, with castors and handles, grooved aluminium



Number of steps

3	4	5	6	7	8
---	---	---	---	---	---

## Specification

Working height 3.5 m	Step design Steps	Number of steps/rungs 6 steps	Platform included as step Yes	Step/Platform surface Aluminium corrugated
Non-slip class R9	Platform height 1.44 m	Height 2.44 m	Platform length 800 mm	Platform width 600 mm
Step depth 200 mm	Step/Rung distance 240 mm	Inclination 60 °	Depth of side-rails 57 mm	Width of side-rails 24 mm
Castor diameter 125 mm	Base area length 1.75 m	Base area width 940 mm	Max. load capacity 150 kg	Design type Freestanding   Single-sided access   With castors
Transport dimensions 1925 x 969 x 1436 mm, 33.8 kg	Business division MUNK Günzburger Steigtechnik	Order no. 056106		

## **Facts**

- Aluminium platform stairs, single-sided
- Stable rectangular tube side-rails
- Steps with a depth of 200 mm



- Roomy platform (600 x 800 mm)
- with 3-sided 1,000 mm high railing with knee and toe boards
- Two Ø 125 mm lifting castors and handles for easily moving to new locations
- Easy to assemble (delivered unassembled)
- In accordance with DIN EN 131-7, handrails are optional for ascending platform ladders with an ascent angle ≥ 60°
- Available in various step and platform designs
- Maximum load: 150 kg

### Scope of supply

Platform stairs: 1 x

Lifting castors: 2 x

Instructions for use and operation: 1 x

### Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality



- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures





Added value

#### Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Conical side-rail guide for safe stance
- Railings and knee boards for safe access and stance



#### Castors

- Ergonomic and comfortable handling
- Simple movement from place to place



#### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories





## Certificates





# Corporate certifications

## Standards for quality and sustainability









