

Order no.: 115480

## Telescopic work platform Solid Line



Number of rungs

2x4

## Specification

Working height min. 2.2 m	Working height max. 2.6 m	Number of steps/rungs 2x 4 steps	Step depth 65 mm	Step design Steps
Base area 1.96 m	Retracted length 740 mm	Extended length 880 mm	Platform height min. 510 mm	Platform height max. 880 mm
Outer width 620 mm	Stabiliser width 620 mm	Max. load capacity 150 kg	Design type Double-sided access   Freestanding	Transport dimensions (plus packaging) 740 x 470 x 285 mm, 19.5 kg
Business division MUNK Günzburger Steigtechnik	Order no. 115480			

## Facts

- Original Telesteps telescopic ladder made of aluminium
- Sturdy round side-rails, anodised for abrasion resistance
- 65 mm deep steps with line profiles minimise the risk of slipping
- High-strength rung-to-side-rail connection

- Three different platform heights (0.51/0.68/0.88 m) possible
- Grooved work platform for safe standing
- Easy to transport thanks to integrated carrying handle (enclosed loose)
- Folds together compactly
- Maximum load: 150 kg
- These products are covered by the statutory warranty

### Scope of supply

- Work platform: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Added value

### Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



### Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



### Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



### practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

### Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



### Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



### Certificates



## Corporate certifications

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID: 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

