



Order no.: 070772

Telescopic safety door for
platform width of 600 mm
/ 800 mm / 1,000 mm



Model versions

Specification

Transport dimensions
(plus packaging)
830 x 657 x 65 mm,
5 kg

Business division
MUNK Günzburger
Steigtechnik

Order no.
070772

Facts

- Compliant with DIN EN ISO 14122
- Safety door for step widths 600/800/1,000 mm, permanently adjustable
- On-site adaptation to intermediate sizes possible through additional bore holes
- Simple to assemble

Scope of supply

- Security door: 1 x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Product configurator

Configuring, enquiring about and ordering individual products could not be easier with our [product configurator](#) for stairs, bridging steps and mobile platform stairs. Simply enter your required dimensions and versions step by step, and a rotating 3D model will appear in real time. To save your configuration and request a quotation requires a login which will be set up for you by our Sales team.



Corporate certifications

Standards for quality and sustainability

