



Order no.: 070506

Frame extension can be  
clamped on

Specification

Length 1.07 m	Width 125 mm	Height 148 mm	Suitable for Mobile scaffolding   Folding scaffolding	Transport dimensions (plus packaging) 148 x 125 x 1065 mm, 2.3 kg
Business division MUNK Günzburger Steigtechnik	Order no. 070506			

Facts

- Maximum stability on uneven ground
- Height-adjustable, can easily be mounted on the scaffolding bar if necessary
- Adjustment range max. 400 mm
- Delivery time: 10 working days

Scope of supply

- Frame extension: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



# Corporate certifications

---

## Standards for quality and sustainability

