

Order no.: 070520

Scaffolding strut telescopic

Telescopic from

1.7-2.5 m

2.12-3.4m



Specification

Length 2.12 m	Width 50 mm	Height 60 mm	Suitable for Mobile scaffolding	Transport dimensions (plus packaging) 2120 x 50 x 60 mm, 4.17 kg
Business division MUNK Günzburger Steigtechnik	Order no. 070520			

Facts

- Universally use thanks to clamping clip
- 2,120–3,400 mm
- Delivery time: 10 working days

Scope of supply

- Brace: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

